



SECTION B-B


NOTE:
AS AN ALTERNATE, THE HELIPAD DESIGN MAY CONSIST OF AN AGGREGATE PAD COMPOSED OF 6 INCHES OF AGGREGATE BASE COURSE THAT CONFORM TO THE REQUIREMENTS OF MAG SECTION 702 OR ON-SITE SOILS APPROVED BY THE GEOTECHNICAL ENGINEER OF RECORD, OVERLAIN BY 6 INCHES OF MATERIAL THAT COMPLIES WITH THE GRADATION, LIQUID LIMIT, PLASTICITY INDEX AND COMPACTION REQUIREMENTS SET FORTH IN THE UNIFIED FACILITIES CRITERIA (UFC 3-260-02) FOR AGGREGATE SURFACED HELIPORTS. A POLYMER-BASED DUST PALLIATIVE SUCH AS SOILTAC, DURASOIL OR EQUIVALENT SHOULD BE APPLIED TO THE SURFACE AT THE RATE RECOMMENDED BY THE MANUFACTURER (APPROXIMATELY 50 FT2/GAL), AND AT LEAST ONCE A YEAR OR AS FREQUENTLY AS REQUIRED TO PREVENT EROSION AND RESUSPENSION OF PARTICULATES DURING LANDING AND TAKE OF. HELIPAD SURFACE DRAINAGE AND GRADES SHOULD CONFORM TO FAA ADVISORY CIRCULAR AC 150/5390-2A.



SECTION C-C



SECTION D-D



SECTION E-E

