

5. VERTICAL REINFORCING IN FIRST LIFT SOIL SIDE, ALTERNATE BENDS IN FOOTING 6. VERTICAL REINFORCING IN

SECOND LIFT SOIL SIDE, ALTERNATE BENDS IN FOOTING 7. LAP 50 BAR DIAMETER. 8. TOE

9. HEEL 10. CONCRETE FOOTING 11. FOOTING THICKNESS

12, FIRST LIFT 13. SECOND LIFT AND RETAINING HEIGHT. 14. LONGITUDINAL


REINFORCING(CONTINUOUS) IN FOOTING 15. TRANSVERSE REINFORCING IN

FOOTING 16. 1" DIA. WEEP HOLES AT 24"

O.C. 17. DEPTH OF SHEAR KEY 18. WIDTH OF SHEAR KEY 19. 1 #4 CONTINUOUS PER 9"


WIDTH OF SHEAR KEY 2 #4 CONTINUOUS PER 12" WIDTH OF SHEAR KEY 3 #4 CONTINUOUS PER 24" WIDTH OF SHEAR KEY


> NOTE SEE MASONRY RETAINING WALL SCHEDULE




WALL HEIGHT UNDER RETAINING CONDITIONS	SOLID GROUTED WALL THICKNESS	1ST LIFT	2ND LIFT	VERTICAL REINFORCING		HEEL	TOE	FOOTING THICKNESS	FOOTING REINFORCING		SHEAR KEY	
METAINING CONDITIONS				1ST LIFT	2ND LIFT			77.1107131200	LONGITUDINAL	TRANSVERSE	Sd	Sw
2'-1" TO 4'-0"	8" (CMU)	1'-0"	4'-0"	#5 @ 32" O.C. (SOIL SIDE)	#5 @ 32" O.C. (SOIL SIDE)	1'9"	2'-2"	12"	(3) #4 TOP AND BOTTOM	#4 @ 16" O.C. AT TOP	WERENE SALUENE (MILIERE	Marine Madrie (1804
4'-1" TO 6'-0"	8" (CMU)	2'-0"	6'-0"	#5 @ 8" O.C. (SOIL SIDE)	#5 @ 24" O.C. (SOIL SIDE)	1'-6"	3'-2"	12"	(4) #4 TOP AND BOTTOM	#4 @ 12" O.C. AT TOP	3"	8"
6'-1" TO 7'-0"	8" (CMU)	2'-0"	7'-0"	#5 @ 8" O.C. (SOIL SIDE)	#5 @ 24" O.C. (SOIL SIDE)	2'-0"	3'-0"	12"	(4) #4 top and bottom	#4 @ 12" O.C. AT TOP	3"	8"
7'-1" TO 8'-0"	12" (CMU)	2'-0"	8'-0"	#5 @ 8" O.C. (SOIL SIDE)	#5 @ 16" O.C. (SOIL SIDE)	2'-6"	3'-6"	12"	(5) #4 TOP AND BOTTOM	#4 @ 12" O.C. AT TOP	10"	12"
8'-1" TO 9'-0"	12" (CMU)	2'-6"	9'-0"	#5 @ 8" O.C. (SOIL SIDE)	#5 @ 8" O.C. (SOIL SIDE)	2'-6"	4'-9"	14"	(6) #4 TOP AND BOTTOM	#4 @ 12" O.C. AT TOP	12"	12"
9'-1" TO 10'-0"	12" (CMU)	2'-6"	10'-0"	0 0.0.	#6 @ 8" O.C. (SOIL SIDE)	3'-0"	5'-0"	15"	(7) #4 TOP AND BOTTOM	#4 @ 12" O.C. AT TOP	12"	26"
MASONRY RETAINING WALL SCHEDULE /RET. WALL TYPE II (SEE GRADING PLAN)												
7'-1" TO 8'-0"	12" (CMU)	2'-0"	8'-0"		#5 @ 16" O.C. (SOIL SIDE)	1	2'-9"	12"	(6) #4 TOP AND BOTTOM	#4 @ 12" O.C. AT TOP	10"	12"
8'-1" TO 9'-0"	12" (CMU)	2'-6"	9'-0"	#5 @ 8" O.C. (SOIL SIDE)	#5 @ 8" O.C. (SOIL SIDE)		3'-9"	14"	(8) #4 TOP AND BOTTOM	#4 @ 12" O.C. AT TOP	12"	12"
9'-1" TO 10'-0"	12" (CMU)	2'-6"	10'-0"	0 0.0.	#6 © 8" O.C. (SOIL SIDE)	1	4'-0"	15"	(9) #4 TOP AND BOTTOM	#4 @ 12" O.C. AT TOP	12"	21"









NOTES:

1. LAP PER G.S.N. (24" MIN.)

- TYPICAL.

2. TOP OF WALL FOOTING.

3. PIPE THRU STEM WALL AS OCCURS - SEE TYPICAL

4. RETURN TO FOOTING THICKNESS AS SHOWN ON PLAN.

NOTE: D = 2'-0'' MAXIMUM.

TYPICAL STEP IN CONCRETE FOOTING (

